

**GWDR PO (flat gasket - polyethylene)
GWDR M20-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The range of cable glands is rounded off by a large number of accessories.

General ordering data

| | |
|------------|--|
| Type | GWDR M20-PO |
| Order No. | 1777940000 |
| Version | GWDR PO (flat gasket - polyethylene), Sealing ring, M 20, Polyethylene |
| GTIN (EAN) | 4032248158201 |
| Qty. | 100 pc(s). |

Creation date May 3, 2020 1:10:07 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

GWDR PO (flat gasket - polyethylene) GWDR M20-PO

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

| | |
|------------|-------|
| Net weight | 0.2 g |
|------------|-------|

General information

| | | | |
|-----------------------------------|--------------|-----------------------------------|--------|
| Material | Polyethylene | Cable glands | metric |
| External thread | M 20 | Pitch of thread | 1.5 mm |
| Operating temperature range, min. | -30 °C | Operating temperature range, max. | 90 °C |
| Thickness | 2 mm | Inside diameter D2 | 20 mm |
| Sealing | PE-HD | Diameter of sealing ring | 24 mm |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC001181 | ETIM 7.0 | EC001181 |
| eClass 9.0 | 27-43-03-19 | eClass 9.1 | 27-14-44-90 |
| eClass 10.0 | 27-43-03-19 | UNSPSC | 31-16-18-18 |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads

| | |
|--------------------|---|
| Brochure/Catalogue | CAT 3 HDC 17/18 EN CAT 5 ENCL 17/18 EN |
| Engineering Data | EPLAN, WSCAD |
| Engineering Data | STEP |

Data sheet

**GWDR PO (flat gasket - polyethylene)
GWDR M20-PO**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

