


ESG
ESG 9/17 MM SW**Weidmüller Interface GmbH & Co. KG**
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com**Guaranteed long service life: ESG**

The multi-colour and multi-format labels have a strong adhesive layer to ensure the best possible adhesion to the underlying surface. Double laminated polyester makes the basic material very thin and yet extremely tear-resistant.

Your benefits with MultiMark

- Double laminated polyester
- Can be used with equipment from many manufacturers
- Device markers with a familiar design

General ordering data

| | |
|--------------------|---|
| Type | ESG 9/17 MM SW |
| Order No. | 2005250000 |
| Version | ESG, Device markers, 9 x 17 mm, black |
| GTIN (EAN) | 4050118390896 |
| Qty. | 3,000 pc(s). |
| compatible printer | 2599430000 2599440000 |

Data sheet

ESG ESG 9/17 MM SW

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

| | | | |
|------------|---------|-----------------|------------|
| Width | 17 mm | Width (inches) | 0.669 inch |
| Height | 9 mm | Height (inches) | 0.354 inch |
| Depth | 0.1 mm | Depth (inches) | 0.004 inch |
| Net weight | 0.054 g | | |

General data

| | | | |
|-----------------------------|-----------------------------|---------------------------|-------|
| Adhesive | Acrylate adhesive | Approval acc. to UL 969 | Yes |
| Colour | black | Halogen | No |
| Material | Polyester | Number per roll | 3,000 |
| Operating temperature range | -40... 120 °C | UL 94 flammability rating | V-0 |
| Version | Self-adhesive, halogen-free | Width | 17 mm |

Classifications

| | | | |
|-------------|-------------|------------|-------------|
| ETIM 6.0 | EC001288 | ETIM 7.0 | EC001288 |
| eClass 9.0 | 27-40-06-29 | eClass 9.1 | 27-40-06-29 |
| eClass 10.0 | 27-40-06-29 | | |

Approvals

| | |
|------|---------|
| ROHS | Conform |
|------|---------|

Downloads


| | |
|------------------|------------------------------|
| Engineering Data | EPLAN, WSCAD |
| Engineering Data | STEP |

Data sheet

ESG
ESG 9/17 MM SW

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings



**ESG
ESG 9/17 MM SW**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Accessories

Ink ribbons THM MMP



These printers produce excellent printing results thanks to the thermal transfer technique. Different materials and the user-friendly printing system under Windows optimise marking efforts.

General ordering data

| | | |
|------------|----------------------------|------------|
| Type | RIBBON MM 84/300 WS | Version |
| Order No. | 2005040000 | Ink ribbon |
| GTIN (EAN) | 4050118390025 | |
| Qty. | 1 pc(s). | |

Accessories / replacement parts



Our marking systems can be used to quickly and reliably label connector markers, conductor and cable markers, device markers and labels. The M-Print® PRO software enables rapid and easy identification of your electrical equipment. You can design, label and order your marking materials professionally and quickly. Frames, barcodes, graphics or photos are easily incorporated. The versatile data conversion routines enable quick and flexible data integration. The Weidmüller PrintJet ADVANCED, MCP Plus and MCP Basic printers and the THM series printers are available for printing.

General ordering data

| | |
|------------|----------------------------|
| Type | THM MMP ROLLER 115 |
| Order No. | 1357420000 |
| GTIN (EAN) | 4050118160314 |
| Qty. | 1 pc(s). |
| Type | MM PLUS ROLLER 110 |
| Order No. | 2672590000 |
| GTIN (EAN) | 4050118708097 |
| Qty. | 1 pc(s). |