

**SwitchMark  
SM 36/18-30 MM WS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com



**Prevention of incorrect operation: SM**

MultiMark device markers can be used with marking materials from different manufacturers. Wherever they are used, they ensure that all components, such as control and signalling devices from different vendors, are clearly assigned.

**Your benefits with MultiMark**

- Double laminated polyester
- Can be used with equipment from many manufacturers
- Device markers with a familiar design

**General ordering data**

|                    |   |
|--------------------|---|
| Type               | SM 36/18-30 MM WS                                     |
| Order No.          | <a href="#">2006 100000</a>                           |
| Version            | SwitchMark, Device markers, 56 x 36 mm, white         |
| GTIN (EAN)         | 4050118391145   |
| Qty.               | 1,000 pc(s).  |
| compatible printer | <a href="#">2599430000</a> <a href="#">2599440000</a> |

## Data sheet

### SwitchMark SM 36/18-30 MM WS

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

|            |        |                 |            |
|------------|--------|-----------------|------------|
| Width      | 36 mm  | Width (inches)  | 1.417 inch |
| Height     | 56 mm  | Height (inches) | 2.205 inch |
| Depth      | 0.1 mm | Depth (inches)  | 0.004 inch |
| Net weight | 0.56 g | Diameter        | 30 mm      |

### General data

|                         |                             |                             |               |
|-------------------------|-----------------------------|-----------------------------|---------------|
| Adhesive                | Acrylate adhesive           | Approval acc. to UL 969     | Yes           |
| Colour                  | white                       | Halogen                     | No            |
| Material                | Polyester                   | Operating temperature range | -40... 120 °C |
| Size of labelling field | 18 x 36 mm                  | UL 94 flammability rating   | V-0           |
| Version                 | halogen-free, Self-adhesive | Width                       | 36 mm         |

### Device markers

|          |       |
|----------|-------|
| Diameter | 30 mm |
|----------|-------|

### Classifications

|             |             |            |             |
|-------------|-------------|------------|-------------|
| ETIM 6.0    | EC001288    | ETIM 7.0   | EC001288    |
| eClass 9.0  | 27-40-06-29 | eClass 9.1 | 27-40-06-29 |
| eClass 10.0 | 27-40-06-29 |            |             |

### Approvals

|      |         |
|------|---------|
| ROHS | Conform |
|------|---------|

### Downloads

|                  |                              |
|------------------|------------------------------|
| Engineering Data | <a href="#">EPLAN, WSCAD</a> |
| Engineering Data | <a href="#">STEP</a>         |

**Data sheet**

**SwitchMark  
SM 36/18-30 MM WS**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**



**SwitchMark  
SM 36/18-30 MM WS**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Ink ribbons THM MMP**



These printers produce excellent printing results thanks to the thermal transfer technique. Different materials and the user-friendly printing system under Windows optimise marking efforts.

**General ordering data**

|            |                            |            |
|------------|----------------------------|------------|
| Type       | RIBBON MM 76/360 SW        | Version    |
| Order No.  | <a href="#">2005080000</a> | Ink ribbon |
| GTIN (EAN) | 4050118389951              |            |
| Qty.       | 1 pc(s).                   |            |

**Accessories / replacement parts**



Our marking systems can be used to quickly and reliably label connector markers, conductor and cable markers, device markers and labels. The M-Print® PRO software enables rapid and easy identification of your electrical equipment. You can design, label and order your marking materials professionally and quickly. Frames, barcodes, graphics or photos are easily incorporated. The versatile data conversion routines enable quick and flexible data integration. The Weidmüller PrintJet ADVANCED, MCP Plus and MCP Basic printers and the THM series printers are available for printing.

**General ordering data**

|            |                            |
|------------|----------------------------|
| Type       | THM MMP ROLLER 115         |
| Order No.  | <a href="#">1357420000</a> |
| GTIN (EAN) | 4050118160314              |
| Qty.       | 1 pc(s).                   |
| Type       | MM PLUS ROLLER 110         |
| Order No.  | <a href="#">2672590000</a> |
| GTIN (EAN) | 4050118708097              |
| Qty.       | 1 pc(s).                   |