

**Testing tools
VT LCL****Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



- Reacts from a distance of 4 mm
- No current flow necessary thanks to capacitive method
- Detects concealed broken wires with a tolerance of just a few millimetres
- Detects voltage-conducting wires in sockets, cable reels, distributors, etc.
- Display: visual or both visual and acoustic
- including a flashlight function with the VT LCL

General ordering data

Type	VT LCL
Order No.	2436670000
Version	Cable detector
GTIN (EAN)	4050118450033
Qty.	1 pc(s).

Data sheet

Testing tools VT LCL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	155 mm	Width (inches)	6.102 inch
Height	25 mm	Height (inches)	0.984 inch
Depth	23 mm	Depth (inches)	0.906 inch
Weight	60 g	Net weight	55.3 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Measuring and testing devices

Battery type	1.5 V type AAA battery	DC voltage measuring range	1000 V
Display	Visual & acoustic	Measuring range category	CAT IV 1000 V
Protection degree	IP65	Rated voltage, max.	1000 V AC
Rated voltage, min.	12 V AC	Tested and approved according to	DIN EN 61010-1, DIN EN 61326

Classifications

ETIM 6.0	EC000494	ETIM 7.0	EC000494
eClass 9.0	27-20-03-08	eClass 9.1	27-20-03-08
eClass 10.0	27-20-03-08		

Approvals

ROHS Conform

Downloads

User Documentation [Manual](#)