

Testing tools
VT CTL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



The fully insulated plastic housings of our continuity testers are shockproof and unbreakable, making these instruments ideal for daily use, even in tough conditions. The integrated torch makes it easier to locate defective cables quickly and safely. The results of the continuity test can be conveyed visually and acoustically.

General ordering data

Type	VT CTL
Order No.	2436690000
Version	Testing device, Yes - optical + buzzer
GTIN (EAN)	4050118450040
Qty.	1 pc(s).

Creation date May 2, 2020 4:26:36 PM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

Data sheet

Testing tools VT CTL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Weight	140 g	Net weight	143.5 g
--------	-------	------------	---------

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Measuring and testing devices

Battery type	1.5 V type AAA battery	Continuity test	Yes - optical + buzzer
Display	Visual & acoustic	Protection degree	IP44
Tested and approved according to	DIN EN 61010-1		

Classifications

ETIM 6.0	EC000494	ETIM 7.0	EC000494
eClass 9.0	27-20-03-08	eClass 9.1	27-20-03-08
eClass 10.0	27-20-03-08		

Approvals

ROHS	Conform
------	---------

Downloads

User Documentation	Manual
--------------------	------------------------

Data sheet

**Testing tools
VT CTL**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

