

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

Туре	KEBI QL 302015 S2B1
Order No.	<u>2470800000</u>
Version	Klippon EBi QL (Essential Box industrial - Quarter Lock), Empty enclosure, stainless steel enclosure, Height: 300 mm, Width: 200 mm, Depth: 150 mm, Gland plates: Bottom, Material: Stainless steel 1.4301 (304), Brushed, silver
GTIN (EAN)	4050118591095
Qty.	1 pc(s).

Technical data

Dimensions and weights



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Width	200 mm	Width (inches)	7.874 inch
Height	300 mm	Height (inches)	11.811 inch
Depth	150 mm	Depth (inches)	5.905 inch
Mounting dimension - width	150 mm	Mounting dimension - height	250 mm
Wall thickness, max.	2 mm	Wall thickness, min.	2 mm
Net weight	3,656 g	Diameter	9 mm
Cable glands, left			
M12	33	M16	27
M20	14	M25	12
M32	5	M40	4
M50	3	M63	2
Cable glands, right			
M12	33	M16	27
M20	14	M25	12
M32	5	M40	4
M50	3	M63	2
Cable glands, top/bottom			
M12	21	M16	15
M12 M20	8	M10 M25	6
M32	3	M20	2
M50	2	M63	1
Certificate numbers enclos	sure		
Certificate no. (cULus)	E243298		
General information			
Areas of use	Harbour facilities,	Flange plate mounting	
	Machine construction, Transportation, Marine engineering, Packaging	riango plato mounting	M5 Torx stainless-steel
Gland plates	industry, Process industry Bottom	Installation advice	screws TX20 Welded assembly angle, Mounting plate
Material thickness	1.25 mm	Material thickness of cover	Mounting plate 1.25 mm
Material thickness of enclosure	1.25 mm	Material thickness of flange	1.25 mm
Opening angle lid	125 °	Seal material of cover	Polyurethane foamed
Seal material of flange plate	EPDM	Standards	DIN EN 62208, IEC 60529
Material	Stainless steel 1.4301 (304)	Seal material	Polyurethane foamed, EPDM
Surface finish	Brushed	Operating temperature, min.	-40 °C
Operating temperature, max.	85 °C	Impact resistance	10.00 J
Protection degree		Enclosure attachment	Fixing lugs, Installation through the housing rear
	IP66		wall
Lid attachment	Quarter-turn fastener with slotted insert	Integral fixing	Screwed

Creation date May 2, 2020 12:43:19 PM CEST

Technical data

Housing earth



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com


Earth, enclosure, cover	Welded-on M6 stainless-	Earth, enclosure, external	
	steel earth stud in		
	enclosure body and lid.		M6 earth tab rivet
Earth, enclosure, internal	Welded-on M6 stainless-		
	steel earth stud in enclosure body and lid.		
	enclosure body and lid.		
horizontal assembly			
WDU 10 / ZDU 10	3x9	WDU 16 / ZDU 16	3x7
WDU 2,5 / ZDU 2,5 / IDU 2,5	3x17	WDU 35 / ZDU 35	3x5
WDU 4 / ZDU 4	3x14	WDU 6 / ZDU 6	3x11
vertical assembly		-	
WDU 10 / ZDU 10	1x18	WDU 16 / ZDU 16	1x15
WDU 2,5 / ZDU 2,5 / IDU 2,5	1x36	WDU 35 / ZDU 35	1x11
WDU 4 / ZDU 4	1x30	WDU 6 / ZDU 6	1x23
Classifications			
ETIM 6.0	EC000261	ETIM 7.0	EC000261
eClass 9.0 eClass 10.0	27-18-01-01 27-18-01-01	eClass 9.1	27-18-92-90
	27-18-01-01		
Approvals			
Approvals			
		us aurono ma	
		US ()	
	LISTER	LONV.GL	

ROHS	Conform
Downloads	
Approval/Certificate/Document of Conformity	Declaration of Conformity
Engineering Data	EPLAN

Engineering Data	EPLAN
Engineering Data	<u>STEP</u>
User Documentation	Mounting Instructions Empty enclosures Klippon

Drawings

Dimensioned drawing





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Double-bit key





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	KLIPPON QL KEY	Version
Order No.	<u>2473930000</u>	Klippon EBi (Essential Box industrial), Key, Miscellaneous
GTIN (EAN)	4050118485868	
Qty.	5 pc(s).	

Mounting feet



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

Туре	KEBI-KTBI MF S2 SET	Version
Order No.	<u>1289180000</u>	Klippon EBi (Essential Box industrial), Mounting foot, Height: 70 mm,
GTIN (EAN)	4050118080995	Width: 36 mm, Depth: 10 mm, Material: Stainless steel 1.4301 (304),
Qty.	1 pc(s).	untreated, silver

Accessories

Mounting plates fastening



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

For many years, the name Klippon® has stood for competence and quality in enclosures. The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications. With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs. Our standard product is the Klippon® EBi QL - with hinged door and double-bit key lock. A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	GFSC M5X10 TX20 SET	Version
Order No.	<u>1274150000</u>	Klippon EBi (Essential Box industrial), Mounting screw, silver
GTIN (EAN)	4050118063820	
Qty.	1 pc(s).	

TS 35



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

 Type
 TS35X7.5 ST KEBI 30 VER
 Version

 Order No.
 8000037556
 Rail, TS

 GTIN (EAN)
 4050118653090
 galvaniz

 Qty.
 20 pc(s).
 20 pc(s).

Rail, TS 35, TS 35 x 7.5, Length: 105 mm, without slot, Steel, galvanized. chromium-plated

Accessories

Weidmüller 🟵

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Mounting plates – galvanised steel

For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	KEBI-KTBI MOPL 3020 MSZN	Version
Order No.	<u>1309690000</u>	Klippon EBi (Essential Box industrial), Mounting plate, Height: 229
GTIN (EAN)	4050118111668	mm, Width: 129 mm, Depth: 1.5 mm, Material: Sheet steel, silver
Qty.	1 pc(s).	

Mounting plates - stainless steel 1.4301



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

Туре	KEBI-KTBI MOPL 3020 S2N	Version
Order No.	<u>1309700000</u>	Klippon EBi (Essential Box industrial), Mounting plate, Height: 229
GTIN (EAN)	4050118112009	mm, Width: 129 mm, Depth: 1.5 mm, Material: Stainless steel 1.4301
Qty.	1 pc(s).	(304), silver

Accessories

Spacer





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

	•	
Туре	SP M6 20 MSZN	Version
Order No.	<u>3896200000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850234	
Qty.	2 pc(s).	
Туре	SP M6 15 MSZN	Version
Order No.	<u>3896100000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190857851	
Qty.	2 pc(s).	
Туре	SP M6 30 MSZN	Version
Order No.	<u>3896300000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850241	
Qty.	2 pc(s).	