

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com





For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

KEBI QL 403022 S2B1
<u>2470840000</u>
Klippon EBi QL (Essential Box industrial - Quarter Lock), Empty enclosure, stainless steel enclosure, Height: 400 mm, Width: 300 mm, Depth: 220 mm, Gland plates: Bottom, Material: Stainless steel 1.4301 (304), Brushed, silver
4050118591316
1 pc(s).

Technical data

Dimensions and weights



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Width	300 mm	Width (inches)	11.811 inch
	400 mm		15.748 inch
Height		Height (inches)	
Depth	220 mm	Depth (inches)	8.661 inch
Mounting dimension - width	250 mm	Mounting dimension - height	350 mm
Wall thickness, max.	2 mm	Wall thickness, min.	2 mm
Net weight	9,326 g	Diameter	9 mm
Cable glands, left			
M12	112	M16	65
M20	40	M25	24
M32	21	M40	10
M50	8	M63	3
M75	2		
Cable glands, right			
M12	112	M16	65
M20	40	M25	24
M32	21	M40	10
M50	8	M63	3
M75	2		
Cable glands, top/bottom	I		
	70		45
M12	76	<u>M16</u>	45
M20	28	M25	18
M32	15	M40	8
M50	6	M63	2
M75	2		
Certificate numbers enclo	osure		
	F242200		
Certificate no. (cULus)	E243298		

Technical data

General information

Weidmüller 🔀

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Machine construction, Transportation, Marine engineering, Packaging industry, Process industry Bottom 1.5 mm 1.5 mm 125 ° EPDM Stainless steel 1.4301 (304) Brushed	Installation advice Material thickness of cover Material thickness of flange Seal material of cover Standards Seal material	M5 Torx stainless-steel screws TX20 Welded assembly angle, Mounting plate 1.5 mm 1.5 mm Polyurethane foamed
engineering, Packaging industry, Process industry Bottom 1.5 mm 1.5 mm 125 ° EPDM Stainless steel 1.4301 (304)	Material thickness of cover Material thickness of flange Seal material of cover Standards	screws TX20 Welded assembly angle, Mounting plate 1.5 mm 1.5 mm Polyurethane foamed
1.5 mm 1.5 mm 125 ° EPDM Stainless steel 1.4301 (304)	Material thickness of cover Material thickness of flange Seal material of cover Standards	Mounting plate 1.5 mm 1.5 mm Polyurethane foamed
1.5 mm 125 ° EPDM Stainless steel 1.4301 (304)	Material thickness of flange Seal material of cover Standards	1.5 mm Polyurethane foamed
125 ° EPDM Stainless steel 1.4301 (304)	Seal material of cover Standards	Polyurethane foamed
EPDM Stainless steel 1.4301 (304)	Standards	
Stainless steel 1.4301 (304)		
(304)	Seal material	DIN EN 62208, IEC 60529
Brushed		Polyurethane foamed, EPDM
Braonea	Operating temperature, min.	-40 °C
85 °C	Impact resistance	10.00 J
IP66	Enclosure attachment	Fixing lugs, Installation through the housing rear wall
Quarter-turn fastener with slotted insert	Integral fixing	Screwed
Welded-on M6 stainless-	Farth enclosure external	
steel earth stud in enclosure body and lid.		M6 earth tab rivet
Welded-on M6 stainless- steel earth stud in enclosure body and lid.		
4x18	WDU 16 / 7DU 16	4x15
		4x11
4x30	WDU 6 / ZDU 6	4x23
3x28		3x23
		3x18
3x47	WDU 6 / ZDU 6	3x35
EC000261	ETIM 7.0	EC000261
27-18-01-01	eClass 9.1	27-18-92-90
27-18-01-01		
	US A	
	(ONVIGL)	
	IP66 Quarter-turn fastener with slotted insert Welded-on M6 stainless-steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 4x18 4x36 4x30 3x28 3x56 3x47 EC000261 27-18-01-01	85 °C Impact resistance IP66 Integral fixing Quarter-turn fastener with slotted insert Integral fixing Welded-on M6 stainless-steel earth stud in enclosure body and lid. Earth, enclosure, external Welded-on M6 stainless-steel earth stud in enclosure body and lid. Earth, enclosure, external 4x18 WDU 16 / ZDU 16 4x36 WDU 35 / ZDU 35 4x30 WDU 6 / ZDU 6 3x28 WDU 16 / ZDU 16 3x47 WDU 6 / ZDU 6 EC000261 ETIM 7.0 27-18-01-01 ETIM 7.0 eClass 9.1 ETIM 7.0

ROHS



Conform

Technical data

Downloads

Approval/Certificate/Document of	
Conformity	Declaration of Conformity
Engineering Data	EPLAN
Engineering Data	<u>STEP</u>
User Documentation	Mounting Instructions Empty enclosures Klippon




Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Drawings

Dimensioned drawing





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Double-bit key





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	KLIPPON QL KEY	Version
Order No.	<u>2473930000</u>	Klippon EBi (Essential Box industrial), Key, Miscellaneous
GTIN (EAN)	4050118485868	
Qty.	5 pc(s).	

Mounting feet



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

Туре	KEBI-KTBI MF S2 SET	Version
Order No.	<u>1289180000</u>	Klippon EBi (Essential Box industrial), Mounting foot, Height: 70 mm,
GTIN (EAN)	4050118080995	Width: 36 mm, Depth: 10 mm, Material: Stainless steel 1.4301 (304),
Qty.	1 pc(s).	untreated, silver

Accessories

Mounting plates fastening



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

competence and quality in enclosures.
The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.
With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.
Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.
A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

For many years, the name Klippon® has stood for

General ordering data

Туре	GFSC M5X10 TX20 SET	Version
Order No.	<u>1274150000</u>	Klippon EBi (Essential Box industrial), Mounting screw, silver
GTIN (EAN)	4050118063820	
Qty.	1 pc(s).	

TS 35



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

 Type
 TS35X7.5 ST KEBI 40 VER
 Version

 Order No.
 8000037555
 Rail, TS

 GTIN (EAN)
 4050118653083
 galvaniz

 Qty.
 20 pc(s).
 20 pc(s).

Rail, TS 35, TS 35 x 7.5, Length: 235 mm, without slot, Steel, galvanized. chromium-plated

Accessories

Weidmüller 🏵

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Mounting plates – galvanised steel



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL - with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	KEBI-KTBI MOPL 4030 MSZN	Version
Order No.	<u>1310420000</u>	Klippon EBi (Essential Box industrial), Mounting plate, Height: 329
GTIN (EAN)	4050118112559	mm, Width: 229 mm, Depth: 1.5 mm, Material: Sheet steel, silver
Qty.	1 pc(s).	

Mounting plates – stainless steel 1.4301



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL - with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

Туре	KEBI-KTBI MOPL 4030 S2N	Version
Order No.	<u>1310330000</u>	Klippon EBi (Essential Box industrial), Mounting plate, Height: 329
GTIN (EAN)	4050118112603	mm, Width: 229 mm, Depth: 1.5 mm, Material: Stainless steel 1.4301
Qty.	1 pc(s).	(304), silver

Accessories

Spacer





Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold Germany Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

	•	
Туре	SP M6 20 MSZN	Version
Order No.	<u>3896200000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850234	
Qty.	2 pc(s).	
Туре	SP M6 15 MSZN	Version
Order No.	<u>3896100000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190857851	
Qty.	2 pc(s).	
Туре	SP M6 30 MSZN	Version
Order No.	<u>3896300000</u>	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850241	
Qty.	2 pc(s).	