

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com







For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	KEBI QL 504022 S2B1
Order No.	<u>2470860000</u>
Version	Klippon EBi QL (Essential Box industrial - Quarter Lock), Empty enclosure, stainless steel enclosure, Height: 500 mm, Width: 400 mm, Depth: 220 mm, Gland plates: Bottom, Material: Stainless steel 1.4301 (304), Brushed, silver
GTIN (EAN)	4050118591156
Qty.	1 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

|--|

Width	400 mm	Width (inches)	15.748 inch
Height	500 mm	Height (inches)	19.685 inch
Depth	220 mm	Depth (inches)	8.661 inch
Mounting dimension - width	350 mm	Mounting dimension - height	450 mm
Wall thickness, max.	2 mm	Wall thickness, min.	2 mm
Net weight	12,812 g	Diameter	9 mm

Cable glands, left

M12	140	M16	85
M20	52	M25	33
M32	27	M40	14
M50	10	M63	4
M75	3		

Cable glands, right

M12	140	M16	85
M20	52	M25	33
M32	27	M40	14
M50	10	M63	4
M75	3		

Cable glands, top/bottom

M12	112	M16	65
M20	40	M25	24
M32	21	M40	10
M50	8	M63	3
M75	2		

Certificate numbers enclosure

Certificate no. (cULus)	E243298



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Areas of use	Harbour facilities, Machine construction, Transportation, Marine engineering, Packaging industry, Process industry	Flange plate mounting	M5 Torx stainless-steel screws TX20
Gland plates	Bottom	Installation advice	Welded assembly angle, Mounting plate
Material thickness	1.5 mm	Material thickness of cover	1.5 mm
Material thickness of enclosure	1.5 mm	Material thickness of flange	1.5 mm
Opening angle lid	125 °	Seal material of cover	Polyurethane foamed
Seal material of flange plate	EPDM	Standards	DIN EN 62208, IEC 6052
Material	Stainless steel 1.4301 (304)	Seal material	Polyurethane foamed, EPDM
Surface finish	Brushed	Operating temperature, min.	-40 °C
Operating temperature, max.	85 °C	Impact resistance	10.00 J
Protection degree	IP66	Enclosure attachment	Fixing lugs, Installation through the housing rear wall
Lid attachment	Quarter-turn fastener with slotted insert	Integral fixing	Screwed
Housing earth			
i lousilig ear til			
	Welded-on M6 stainless- steel earth stud in enclosure body and lid.	Earth, enclosure, external	M6 earth tab rivet
Earth, enclosure, cover Earth, enclosure, internal	steel earth stud in	Earth, enclosure, external	M6 earth tab rivet
Earth, enclosure, cover	steel earth stud in enclosure body and lid. Welded-on M6 stainless- steel earth stud in	Earth, enclosure, external	M6 earth tab rivet
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly	steel earth stud in enclosure body and lid. Welded-on M6 stainless- steel earth stud in enclosure body and lid.		
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid.	WDU 16 / ZDU 16	6x23
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56	WDU 16 / ZDU 16 WDU 35 / ZDU 35	6x23 6x18
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid.	WDU 16 / ZDU 16	6x23
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56	WDU 16 / ZDU 16 WDU 35 / ZDU 35	6x23 6x18
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 vertical assembly	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56	WDU 16 / ZDU 16 WDU 35 / ZDU 35	6x23 6x18
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 vertical assembly WDU 10 / ZDU 10	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56 6x47	WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6	6x23 6x18 6x35
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 vertical assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56 6x47	WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6	6x23 6x18 6x35
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 vertical assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56 6x47 4x38 4x75	WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6	6x23 6x18 6x35 4x32 4x24
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 vertical assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5 WDU 4 / ZDU 4 Classifications	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56 6x47 4x38 4x75 4x63	WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6 WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6	6x23 6x18 6x35 4x32 4x24 4x24 4x47
Earth, enclosure, cover Earth, enclosure, internal horizontal assembly WDU 10 / ZDU 10 WDU 2,5 / ZDU 2,5 / IDU 2,5	steel earth stud in enclosure body and lid. Welded-on M6 stainless-steel earth stud in enclosure body and lid. 6x28 6x56 6x47 4x38 4x75	WDU 16 / ZDU 16 WDU 35 / ZDU 35 WDU 6 / ZDU 6	6x23 6x18 6x35 4x32 4x24

Approvals

Approvals



ROHS Conform



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Downloads

Approval/Certificate/Document of	
Conformity	Declaration of Conformity
Engineering Data	<u>EPLAN</u>
Engineering Data	STEP
User Documentation	Mounting Instructions Empty enclosures Klippon



Weidmüller Interface GmbH & Co. KG


Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Drawings

Dimensioned drawing





Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Double-bit key



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Type KLIPPON QL KEY
Order No. 2473930000
GTIN (EAN) 4050118485868
Oty. 5 pc(s).

Version

Klippon EBi (Essential Box industrial), Key, Miscellaneous

Mounting feet



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Type KEBI-KTBI MF S2 SET Version

Order No. 1289180000 Klippon EBi (Essential Box industrial), Mounting foot, Height: 70 mm,

GTIN (EAN) 4050118080995 Width: 36 mm, Depth: 10 mm, Material: Stainless steel 1.4301 (304),

Oty. 1 pc(s). untreated, silver



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Mounting plates fastening



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Type GFSC M5X10 TX20 SET
Order No. 1274150000

4050118063820

Qty. 1 pc(s).

Version

Klippon EBi (Essential Box industrial), Mounting screw, silver

TS 35

GTIN (EAN)



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Qty.

Type TS35X7.5 ST KEBI 50 VER
Order No. 8000037554
GTIN (EAN) 4050118653076

4050118653076 20 pc(s). Version

Rail, TS 35, TS 35 x 7.5, Length: 164 mm, without slot, Steel,

galvanized, chromium-plated



Accessories

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Mounting plates - galvanised steel



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Type KEBI-KTBI MOPL 5040 MSZN Version

Order No. 1310440000 Klippon EBi (Essential Box industrial), Mounting plate, Height: 429

GTIN (EAN) 4050118112627 mm, Width: 329 mm, Depth: 1.5 mm, Material: Sheet steel, silver

Oty. 1 pc(s).

Mounting plates - stainless steel 1.4301



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

 Type
 KEBI-KTBI MOPL 5040 S2N
 Version

 Order No.
 1310350000
 Klippon EBi (Essential Box industrial), Mounting plate, Height: 429

 GTIN (EAN)
 4050118112375
 mm, Width: 329 mm, Depth: 1.5 mm, Material: Stainless steel 1.4301

 Oty.
 1 pc(s).
 (304), silver



Weidmüller Interface GmbH & Co. KG Klingenbergstraße 26

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Spacer



For many years, the name Klippon® has stood for competence and quality in enclosures.

The Klippon® EBi industrial enclosure series protects your components reliably if they are used in moderate environmental conditions and is designed for everyday applications.

With the ever-increasing need for individual application solutions, the Klippon® EBi with its high degree of protection and impact resistance is ideally suited to your needs.

Our standard product is the Klippon® EBi QL – with hinged door and double-bit key lock.

A variant with mounting screws is also available, but is only manufactured on request and is subject to a minimum order quantity. DNV GL and cULus approvals are also available on request.

General ordering data

Туре	SP M6 20 MSZN	Version
Order No.	3896200000	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850234	
Qty.	2 pc(s).	
Туре	SP M6 15 MSZN	Version
Order No.	3896100000	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190857851	
Qty.	2 pc(s).	
Туре	SP M6 30 MSZN	Version
Order No.	3896300000	Klippon EBi (Essential Box industrial), Spacer, silver
GTIN (EAN)	4008190850241	
Qty.	2 pc(s).	