

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com









The special die-cast alloy and the multi-layered surface sealing provide complete protection for the HDC housings.

The cleverly designed interlock system is manufactured from stainless steel. This guarantees a long lifespan with high resistance to corrosion and impact.

The housing interlock system provides integrated safety. Our unique, patented spring system provides the housing interlock with a secure grip and prevents accidental opening.

The laser marking allows for easy and quick identification. Each housing is permanently labelled with a laser marking so that each product can be quickly designated and positioned.

Weidmüller RockStar® IP 65 / NEMA Type 4X housings - your first choice for industrial housings with IP 65 protection.

General ordering data

Туре	HDC 16B ABU N
Order No.	<u>2488590000</u>
Version	HDC enclosures, Size: 6, Protection degree: IP65, Open base, Side-locking clamp on lower side, Standard
GTIN (EAN)	4050118541526
Qty.	1 pc(s).



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Technical data

Dimensions and weights

Width	57 mm	Width (inches)	2.244 inch
Height	29 mm	Height (inches)	1.142 inch
Mounting dimension - width	103 mm	Mounting dimension - height	32 mm
Net weight	122 g		

Temperatures

Limit temperature	-40 °C	125 °C

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1

Dimensions

Height of housing B	29 mm
neiani oi nousina b	29 111111

General data

EMC housings	No	Housing main material	diecast aluminium
Material of locking element	Polyamide, Stainless steel,	Protection degree	
	rust-proof		IP65
Surface finish	Powder coating	Tightening torque	1.2 Nm

Version

Clamp version	Side-locking clamp	Design	Standard
Design of housing		Design of locking system	Side-locking clamp on
	Open base	<u> </u>	lower side
Sealing	NBR	Size	6
Suitable for ModuPlug [®]	Yes	Tightening torque	1.2 Nm
Top part/bottom part/lid	lower part	Туре	Bulkhead (feed-through)

Classifications

ETIM 6.0	EC000437	ETIM 7.0	EC000437
eClass 9.0	27-44-02-02	eClass 9.1	27-44-02-02
eClass 10.0	27-44-02-02		

Approvals

Approvals (EGSAUs

ROHS	Conform

Downloads

Engineering Data	<u>EPLAN</u>
Engineering Data	STEP
Technical Documentation	Customer drawing



HDC 16B ABU N

Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Moulded gasket seals



We offer a variety of accessories, including seals, to accompany the housings.

Because of the excellent sealing, you can achieve the best seal possible with our housings.

Extensive testing has confirmed it – RockStar® remains impermeable to water to a depth of 50 metres This allows you to use heavy-duty connectors in environments which previously required fixed-wire installation.

General ordering data

Type HDC DG 16B
Order No. 1044630000
GTIN (EAN) 4032248777075
Oty. 5 pc(s).

Version

Accessories, Moulded gasket seal, Protection degree: Design of

housing: Clamp version: Design: Approvals :

Spare clip



In addition to heavy-duty connectors, RockStar® includes the appropriate accessories for effective, functional and safe system cabling; e.g. coding systems, shield clamps, cover plates and replacement seals

General ordering data

Type HDC LL 10B N
Order No. 2535150000
GTIN (EAN) 4050118562057
Oty. 10 pc(s).

Version

Heavy-duty connectors, Accessories, Locking lever



Weidmüller Interface GmbH & Co. KG

Klingenbergstraße 26 D-32758 Detmold

Germany

Fon: +49 5231 14-0 Fax: +49 5231 14-292083 www.weidmueller.com

Accessories

Flange seals



We offer a variety of accessories, including seals, to accompany the housings.

Because of the excellent sealing, you can achieve the best seal possible with our housings.

Extensive testing has confirmed it – RockStar® remains impermeable to water to a depth of 50 metres This allows you to use heavy-duty connectors in environments which previously required fixed-wire installation.

General ordering data

Type HDC FLDG 16B
Order No. 1044530000
GTIN (EAN) 4032248776979
Oty. 5 pc(s).

Version

Accessories, flat gasket, Protection degree: Design of housing: Clamp

version: Design: Approvals :