

## WB I SK 2.5

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com

### Similar to illustration



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

### General ordering data

Type	WB I SK 2.5
Order No.	<a href="#">2506050000</a>
Version	Screwdriver insert
GTIN (EAN)	4050118520583
Qty.	1 pc(s).
Packaging	miscellaneous

## Data sheet

### WB I SK 2.5

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	7 mm	Width (inches)	0.276 inch
Height	75 mm	Height (inches)	2.953 inch
Depth	7 mm	Depth (inches)	0.276 inch
Net weight	8.084 g		

### Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

### Screwing tools

Form	Hexagon / Allen key	Size	2.5 mm
------	---------------------	------	--------

### Classifications

ETIM 6.0	EC002120	ETIM 7.0	EC002120
eClass 9.0	21-04-92-19	eClass 9.1	21-04-04-90
eClass 10.0	21-04-92-19		

### Downloads

Approval/Certificate/Document of Conformity [Manufacturer's Declaration - Slim Bits](#)