

Klippon K (aluminium empty enclosure) MOPL K21 STAHL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image



Abbildung ähnlich

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned.

Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Available until	2017-08-01
Type	MOPL K21 STAHL
Order No.	3073020000
Version	Klippon K (aluminium empty enclosure), Mounting plate, Mounting plate, Height: 67 mm, Width: 114 mm, Depth: 2 mm, Material: Sheet steel, galvanized, galvanized, silver
GTIN (EAN)	4008190857950
Qty.	1 pc(s).

Creation date May 1, 2020 3:28:02 PM CEST

**Klippon K (aluminium empty enclosure)
MOPL K21 STAHL**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data
Dimensions and weights

Width	114 mm	Width (inches)	4.488 inch
Height	67 mm	Height (inches)	2.638 inch
Depth	2 mm	Depth (inches)	0.079 inch
Mounting dimension - width	106 mm	Mounting dimension - height	33.5 mm
Net weight	102 g		

General information

Material thickness	2 mm	Material	Sheet steel, galvanized
Surface finish	galvanized	Impact resistance	10.00 J

General information on accessories

Material	Sheet steel, galvanized	Material thickness	2 mm
Mounting dimension - height	33.5 mm	Mounting dimension - width	106 mm
Surface finish	galvanized	Type of fixing	when screwed in

Classifications

ETIM 6.0	EC000213	ETIM 7.0	EC000213
eClass 9.0	27-40-06-39	eClass 9.1	27-18-92-90
eClass 10.0	27-40-06-39	UNSPSC	31-16-23-03

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD

Klippon K (aluminium empty enclosure) MOPL K21 STAHL

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Accessories

TS 15



The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Type	TS15X5 ST K21	Version
Order No.	8000003886	Rail, TS 15, Length: 114 mm, with slot, Steel, galvanized, chromium-plated
GTIN (EAN)	4050118627930	
Qty.	20 pc(s).	

TS 35



The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Type	TS35X7.5 ST K21	Version
Order No.	8000003897	Rail, TS 35, TS 35 x 7.5, Length: 114 mm, without slot, Steel, galvanized, chromium-plated
GTIN (EAN)	4050118652598	
Qty.	20 pc(s).	