

**Klippon K (aluminium empty enclosure)
MOPL K31 STAHL**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Product image

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Available until	2017-08-01
Type	MOPL K31 STAHL
Order No.	3073040000
Version	Klippon K (aluminium empty enclosure), Mounting plate, Mounting plate, Height: 67 mm, Width: 164 mm, Depth: 2 mm, Material: Sheet steel, galvanized, galvanized, silver
GTIN (EAN)	4008190857974
Qty.	1 pc(s).

Creation date May 1, 2020 3:27:46 PM CEST

Klippon K (aluminium empty enclosure) MOPL K31 STAHL

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	164 mm	Width (inches)	6.457 inch
Height	67 mm	Height (inches)	2.638 inch
Depth	2 mm	Depth (inches)	0.079 inch
Mounting dimension - width	156 mm	Mounting dimension - height	33.5 mm
Net weight	150 g		

General information

Material	Sheet steel, galvanized	Surface finish	galvanized
Impact resistance	10.00 J		

General information on accessories

Material	Sheet steel, galvanized	Mounting dimension - height	33.5 mm
Mounting dimension - width	156 mm	Surface finish	galvanized
Type of fixing	when screwed in		

Classifications

ETIM 6.0	EC000213	ETIM 7.0	EC000213
eClass 9.0	27-40-06-39	eClass 9.1	27-18-92-90
eClass 10.0	27-40-06-39	UNSPSC	31-16-23-03

Approvals

ROHS	Conform
------	---------

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD

**Klippon K (aluminium empty enclosure)
MOPL K31 STAHL**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories**TS 15**

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Type	TS15X5 ST K31	Version
Order No.	8000003887	Rail, TS 15, Length: 164 mm, without slot, Steel, galvanized,
GTIN (EAN)	4050118652529	chromium-plated
Qty.	20 pc(s).	

TS 35

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

General ordering data

Type	TS35X7.5 ST K31	Version
Order No.	8000003898	Rail, TS 35, TS 35 x 7.5, Length: 164 mm, without slot, Steel,
GTIN (EAN)	4050118652604	galvanized, chromium-plated
Qty.	20 pc(s).	