

**Klippon K (aluminium empty enclosure)  
MOPL K51 STAHL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Product image**

Abbildung ähnlich

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned.

Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

**General ordering data**

Type	MOPL K51 STAHL
Order No.	<a href="#">3073090000</a>
Version	Klippon K (aluminium empty enclosure), Mounting plate, Mounting plate, Height: 106 mm, Width: 207 mm, Depth: 2 mm, Material: Sheet steel, galvanized, galvanized, silver
GTIN (EAN)	4008190858025
Qty.	1 pc(s).

Creation date May 1, 2020 3:27:02 PM CEST

## Klippon K (aluminium empty enclosure) MOPL K51 STAHL

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

## Technical data

### Dimensions and weights

Width	207 mm	Width (inches)	8.15 inch
Height	106 mm	Height (inches)	4.173 inch
Depth	2 mm	Depth (inches)	0.079 inch
Mounting dimension - width	193 mm	Mounting dimension - height	53 mm
Net weight	304 g		

### General information

Material thickness	2 mm	Material	Sheet steel, galvanized
Surface finish	galvanized	Impact resistance	10.00 J

### General information on accessories

Material	Sheet steel, galvanized	Material thickness	2 mm
Mounting dimension - height	53 mm	Mounting dimension - width	193 mm
Surface finish	galvanized	Type of fixing	when screwed in

### Classifications

ETIM 6.0	EC000213	ETIM 7.0	EC000213
eClass 9.0	27-40-06-39	eClass 9.1	27-18-92-90
eClass 10.0	27-40-06-39	UNSPSC	31-16-23-03

### Approvals

ROHS	Conform
------	---------

### Downloads

Brochure/Catalogue	<a href="#">CAT 5 ENCL 17/18 EN</a>
Engineering Data	<a href="#">EPLAN, WSCAD</a>

**Klippon K (aluminium empty enclosure)  
MOPL K51 STAHL**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories****TS 35**

The Klippon® brand has long stood for competence and quality in housings – particularly when turnkey, customer-specific solutions for standard industrial applications and applications in explosive risk zones are concerned. Improved products that meet all application requirements: this was Weidmüller's aim when modernising and upgrading the Klippon® K enclosure series. No matter what kind of application the customer is planning; Weidmüller is able to provide a wide range of aluminium enclosures precisely fitting the customer's requirements.

**General ordering data**

Type	TS35X7.5 ST K5 1	Version
Order No.	<a href="#">8000003907</a>	Rail, TS 35, TS 35 x 7.5, Length: 203 mm, without slot, Steel,
GTIN (EAN)	4050118652642	galvanized, chromium-plated
Qty.	20 pc(s).	