Testing tools
BLOCKBATTERIE 9V

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories for testing and measuring equipment

General ordering data

Type	BLOCKBATTERIE 9V
Order No.	9004810000
Version	Battery, 660 kΩ
GTIN (EAN)	4008190050665
Qty.	1 pc(s).

Testing tools
BLOCKBATTERIE 9V

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	49 mm	Width (inches)	1.929 inch
Height	17 mm	Height (inches)	0.669 inch
Depth	27 mm	Depth (inches)	1.063 inch
Net weight	44.88 g		

Technical data

Voltage range	9 V	Version	Miscellaneous

Measuring and testing devices

Battery type	9V block battery	Frequency range, max.	100 Hz
Frequency range, min.	0 Hz	Input resistance, voltage	660 kΩ
Insulation test	5 kV	Peak voltage resistance	12 kV
Protection degree	IP40		

Classifications

ETIM 6.0	EC000356	ETIM 7.0	EC000356
eClass 9.0	27-05-04-01	eClass 9.1	27-05-04-90
eClass 10.0	27-05-04-01	UNSPSC	30-21-18-01

Approvals

ROHS	Conform

Downloads

Brochure/Catalogue	CAT 6 TOOLS 15/16 EN
Engineering Data	WSCAD

Testing tools
BLOCKBATTERIE 9V

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories

Accessories

Accessories for testing and measuring equipment

General ordering data

Type	BLOCKBATTERIE 9V	Version
Order No.	9004810000	Battery, 660 kΩ
GTIN (EAN)	4008190050665	
Qty.	1 pc(s).	