

## Tools

### POWERSTRIPPER AO 16-20

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



- for automatic stripping of individual wires
- stripping of flexible wires according to DIN VDE 0295, Cl. 5
- Partial stripping of insulation, the isolation remains on wire end
- Change of tools not necessary
- Quick and easy setting for the proper cross-section
- Stripping length from 3 to 20 mm
- Min. conductor length: 22 mm + stripping length
- Electric drive

#### General ordering data

Type	POWERSTRIPPER AO 16-20
Order No.	<a href="#">9027290000</a>
Version	Automatic machines, Automatic stripper
GTIN (EAN)	4032248285426
Qty.	1 pc(s).

Creation date May 1, 2020 2:57:28 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

## Tools POWERSTRIPPER AO 16-20

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Technical data

### Dimensions and weights

Width	190 mm	Width (inches)	7.48 inch
Height	230 mm	Height (inches)	9.055 inch
Depth	295 mm	Depth (inches)	11.614 inch
Weight	11 kg	Net weight	8,500 g

### Environmental Product Compliance

REACH SVHC Lead 7439-92-1

### Technical data

Electrical connection 100-240 V / 50/65 Hz

### Automatic stripping

Conductor length, min.	22 mm + stripping length	Connection values	46 VA
Drive	electrical	Electrical connection	100-240 V / 50/65 Hz
Pull-off length	1-20 mm	Pulse time	approx. 1.5 s
Stripping range	4 - 16 mm <sup>2</sup> (~AWG 12-6)		

### Classifications

ETIM 6.0	EC002778	ETIM 7.0	EC002778
eClass 9.0	17-13-01-01	eClass 9.1	17-13-01-02
eClass 10.0	17-13-01-02	UNSPSC	27-11-15-10

### Approvals

Approvals



ROHS Conform

### Downloads

Brochure/Catalogue	<a href="#">CAT 6 TOOLS 15/16 EN</a>
Engineering Data	<a href="#">WSCAD</a>
User Documentation	<a href="#">Manual</a>

**Tools**  
**POWERSTRIPPER AO 16-20**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
www.weidmueller.com

**Accessories****Accessories / replacement parts**

- for automatic stripping of individual wires
- stripping of flexible wires according to DIN VDE 0295, Cl. 5
- Partial stripping of insulation, the isolation remains on wire end
- Change of tools not necessary
- Quick and easy setting for the proper cross-section
- Stripping length from 3 to 20 mm
- Min. conductor length: 22 mm + stripping length
- Electric drive

**General ordering data**

Type	AIMESA VRM 6,20	Version
Order No.	<a href="#">1120910000</a>	Automatic machines, Set of cutters
GTIN (EAN)	4032248901920	
Qty.	1 pc(s).	