

**Pressing tool
HTF AFK 2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Similar to illustration

Crimping tools for Weidmüller DFF and ZRV contacts

- Ratchet guarantees precise crimping
- Release option in the event of incorrect operation
- With stop for exact positioning of the contacts.

General ordering data

Type	HTF AFK 2.5
Order No.	9201040000
Version	Pressing tool, Crimping tool for contacts, 0.2mm ² , 2.5mm ²
GTIN (EAN)	4032248419678
Qty.	1 pc(s).

Creation date May 1, 2020 2:11:32 AM CEST

Data sheet

**Pressing tool
HTF AFK 2.5**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	200 mm	Width (inches)	7.874 inch
Weight	438 g	Net weight	533 g

Environmental Product Compliance

REACH SVHC	Lead 7439-92-1
------------	----------------

Description of contact

Type of contact	Weidmüller FEKO ZRV	Crimping range, min.	0.2 mm ²
Crimping range, max.	2.5 mm ²	Conductor cross-section, max. AWG	AWG 12
Conductor cross-section, min. AWG	AWG 24		

tool data crimping

Crimping profile 1, min.	0.2 mm ²	Crimping profile 1, max.	3.5 mm ²
Crimping profile 2, min.	0.5 mm ²	Crimping profile 2, max.	1 mm ²
Crimping profile 3, min.	1.5 mm ²	Crimping profile 3, max.	2.5 mm ²

Classifications

ETIM 6.0	EC000168	ETIM 7.0	EC000168
eClass 9.0	21-04-38-11	eClass 9.1	21-04-38-11
eClass 10.0	21-04-38-11	UNSPSC	27-11-27-20

Approvals

Approvals



Downloads

Brochure/Catalogue	CAT 6 TOOLS 15/16 EN CAT 1 TERM 16/17 EN
--------------------	---

Data sheet

**Pressing tool
HTF AFK 2.5**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

Similar to illustration

