

PLUGSERIES
POS-4P M12 PG13,5 150MM**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



Various build-in connectors are required for the connections on the device side of the sensor/actuator cabling. These are available in the versions M12, M8 and M5.

General ordering data

Type	POS-4P M12 PG13,5 150MM
Order No.	9455650000
Version	Locating plug-in connector, M12, pin, straight, {Reference (AttributeDefinition) not found: A845_1030981}, Number of poles: 4
GTIN (EAN)	4008190076467
Qty.	1 pc(s).

Creation date May 1, 2020 1:33:12 AM CEST

Catalogue status 17.04.2020 / We reserve the right to make technical changes.

**PLUGSERIES
POS-4P M12 PG13,5 150MM**

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data
Dimensions and weights

Net weight 66 g

Temperatures

Operating temperature range, max.	85 °C	Operating temperature range, min.	-40 °C
Operating temperature, max.	85 °C	Operating temperature, min.	-40 °C

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

General data

Cable glands	PG 13.5	Cable length	0.15 m
Conductor O.D.	-	Connection thread	M12
Contact surface	CuZnAu	Core cross-section	1.5 mm ²
Fire behaviour	V2	Housing main material	CuZn, nickel-plated
Insulation strength	10 ¹² Ω	Material	Cu Zn
Number of poles	4	Protection degree	IP67
Rated current	4 A	Rated voltage	250 V
Sheathing colour	silver	Temperature range of housing	-40 ... +85 °C

Classifications

ETIM 6.0	EC002599	ETIM 7.0	EC002599
eClass 9.0	27-06-03-08	eClass 9.1	27-06-03-08
eClass 10.0	27-06-03-08	UNSPSC	26-12-16-03

Approvals

Approvals





ROHS Conform

Downloads

Brochure/Catalogue [CAT 8 SAI 15/16 EN](#)
[FL FIELDWIRING EN](#)

Data sheet**PLUGSERIES
POS-4P M12 PG13,5 150MM**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings**Pole scheme**