

**Klippon POK (polyester empty enclosure)
POK MOPL 0816**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com



Mounting plates for Klippon® POK enclosures

Mounting plates made out of 2 mm sheet steel, for longitudinal and transverse mounting of DIN rails, or for mounting components directly onto the mounting plate.

General ordering data

Type	POK MOPL 0816
Order No.	9510680000
Version	Klippon POK (polyester empty enclosure), Mounting plate, Height: 64 mm, Width: 148.5 mm, Depth: 1.5 mm, Material: Sheet steel, galvanized, Miscellaneous, silver
GTIN (EAN)	4008 190498 191
Qty.	1 pc(s).

Creation date April 30, 2020 8:15:43 PM CEST

Data sheet

Klippon POK (polyester empty enclosure) POK MOPL 0816

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Technical data

Dimensions and weights

Width	148.5 mm	Width (inches)	5.846 inch
Height	64 mm	Height (inches)	2.52 inch
Depth	1.5 mm	Depth (inches)	0.059 inch
Mounting dimension - width	139 mm	Net weight	26 g

General information

Material thickness	1.5 mm	Material	Sheet steel, galvanized
Surface finish	Miscellaneous		

General information on accessories

Material	Sheet steel, galvanized	Material thickness	1.5 mm
Mounting dimension - width	139 mm	Surface finish	Miscellaneous
Type of fixing	when screwed in		

Classifications

ETIM 6.0	EC000213	ETIM 7.0	EC000213
eClass 9.0	27-40-06-39	eClass 9.1	27-18-92-90
eClass 10.0	27-40-06-39	UNSPSC	31-16-23-03

Approvals

Approvals



ROHS Conform

Downloads

Brochure/Catalogue	CAT 5 ENCL 17/18 EN
Engineering Data	EPLAN, WSCAD
Engineering Data	STEP

**Klippon POK (polyester empty enclosure)
POK MOPL 0816**

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Accessories
TS 15

Integrate, expand and customise - the perfect supplement to every application

The consistent structure of system accessories for the Klippon® POK enclosure range allows you to easily adapt the enclosure to meet the specific requirements of every application.

The range includes:

- Mounting plates
- Earthing plates
- Mounting feet

Our assembly service includes the delivery of the enclosure ready to be connected and suitable for every application.

General ordering data

Type	TS15X5 ST POK 0816	Version
Order No.	8000003891	Rail, TS 15, Length: 147 mm, without slot, Steel, galvanized, chromium-plated
GTIN (EAN)	4050118652567	
Qty.	20 pc(s).	