

STRIPPER COAX**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



- For fast and accurate stripping of cables for damp areas ranging from 8 - 13 mm diameter, e.g. NYM cable, 3 x 1.5 mm² to 5 x 2.5 mm²
- No need to set cutting depth
- Ideal for working in junction and distribution boxes

General ordering data

Type	STRIPPER COAX
Order No.	9918030000
Version	Sheathing strippers, Coaxial data and round cables
GTIN (EAN)	4032248359141
Qty.	1 pc(s).

Creation date April 30, 2020 7:22:25 PM CEST

STRIPPER COAX

Weidmüller Interface GmbH & Co. KG
 Klingenbergstraße 26
 D-32758 Detmold
 Germany
 Fon: +49 5231 14-0
 Fax: +49 5231 14-292083
 www.weidmueller.com

Technical data

Dimensions and weights

Width	97 mm	Width (inches)	3.819 inch
Height	20.5 mm	Height (inches)	0.807 inch
Depth	18.5 mm	Depth (inches)	0.728 inch
Weight	22 g	Net weight	39 g

Environmental Product Compliance

REACH SVHC Lead 7439-92-1

Stripping tools

Cable type	Coaxial data and round cables	Max. conductor diameter	7.5 mm
Min. conductor diameter	4.8 mm		

Classifications

ETIM 6.0	EC000163	ETIM 7.0	EC000163
eClass 9.0	21-04-90-90	eClass 9.1	21-04-37-06
eClass 10.0	21-04-90-90	UNSPSC	27-11-15-03

Approvals

Approvals



Downloads

Brochure/Catalogue [CAT 6 TOOLS 15/16 EN](#)

STRIPPER COAX

Weidmüller Interface GmbH & Co. KG
Klingenbergstraße 26
D-32758 Detmold
Germany
Fon: +49 5231 14-0
Fax: +49 5231 14-292083
www.weidmueller.com

Drawings

