

## DMSI MANUELL 0,5-1,7

**Weidmüller Interface GmbH & Co. KG**

Klingenbergstraße 26

D-32758 Detmold

Germany

Fon: +49 5231 14-0

Fax: +49 5231 14-292083

www.weidmueller.com



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

### General ordering data

Type	DMSI MANUELL 0,5-1,7
Order No.	<a href="#">9918390000</a>
Version	Tools, Torque screwdriver
GTIN (EAN)	4032248388356
Qty.	1 pc(s).

**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Technical data****Dimensions and weights**

Width	200 mm	Width (inches)	7.874 inch
Weight	190 g	Net weight	425 g

**Environmental Product Compliance**

REACH SVHC	Lead 7439-92-1
------------	----------------

**Classifications**

ETIM 6.0	EC000149	ETIM 7.0	EC000149
eClass 9.0	21-04-04-07	eClass 9.1	21-04-04-90
eClass 10.0	21-04-50-03	UNSPSC	27-11-17-01

**Approvals**

Approvals

**Downloads**


Approval/Certificate/Document of Conformity	<a href="#">Manufacturer's Declaration - Slim Bits</a>
Brochure/Catalogue	<a href="#">CAT 3 HDC 17/18 EN</a> <a href="#">CAT 6 TOOLS 15/16 EN</a> <a href="#">CAT 5 ENCL 17/18 EN</a>

**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
Klingenbergstraße 26  
D-32758 Detmold  
Germany  
Fon: +49 5231 14-0  
Fax: +49 5231 14-292083  
[www.weidmueller.com](http://www.weidmueller.com)

**Drawings**

**Example of use**



**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Insulated interchangeable blades for Phillips crosshead**



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

**General ordering data**

Type	WB IK SL PH1	Version
Order No.	<a href="#">2433210000</a>	Screwdriver insert
GTIN (EAN)	4050118443653	
Qty.	1 pc(s).	
Type	WB IK SL PH2	Version
Order No.	<a href="#">2433220000</a>	Screwdriver insert
GTIN (EAN)	4050118443691	
Qty.	1 pc(s).	

## DMSI MANUELL 0,5-1,7

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

## Insulated interchangeable blades for slotted-head screws



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

## General ordering data

Type	WB SI SL 0.4X2.5	Version
Order No.	<a href="#">2433160000</a>	Screwdriver insert, Blade width (B): 2.5 mm, Blade thickness (A): 0.4
GTIN (EAN)	4050118443639	mm
Qty.	1 pc(s).	
Type	WB SI SL 0.6X3.5	Version
Order No.	<a href="#">2433180000</a>	Screwdriver insert, Blade width (B): 3.5 mm, Blade thickness (A): 0.6
GTIN (EAN)	4050118443677	mm
Qty.	1 pc(s).	
Type	WB SI SL 1.0X5.5	Version
Order No.	<a href="#">2433200000</a>	Screwdriver insert, Blade width (B): 5.5 mm, Blade thickness (A): 1
GTIN (EAN)	4050118443660	mm
Qty.	1 pc(s).	
Type	WB SI SL 0.5X3.0	Version
Order No.	<a href="#">2433170000</a>	Screwdriver insert, Blade width (B): 3 mm, Blade thickness (A): 0.5
GTIN (EAN)	4050118443622	mm
Qty.	1 pc(s).	
Type	WB SI SL 0.8X4.0	Version
Order No.	<a href="#">2433190000</a>	Screwdriver insert, Blade width (B): 4 mm, Blade thickness (A): 0.8
GTIN (EAN)	4050118443646	mm
Qty.	1 pc(s).	

**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**Bit holder**



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

**General ordering data**

Type	WK I SLIM BIT	Version		Packaging
Order No.	<a href="#">2489300000</a>	Bit holder		miscellaneous
GTIN (EAN)	4050118499353			
Qty.	1 pc(s).			

## DMSI MANUELL 0,5-1,7

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

## Accessories

## insulated interchangeable blades for hexagonal / Allen key



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

## General ordering data

Type	WB I SK 5	Version	Packaging
Order No.	<a href="#">2506080000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520514		
Qty.	1 pc(s).		
Type	WB I SK 2.5	Version	Packaging
Order No.	<a href="#">2506050000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520583		
Qty.	1 pc(s).		
Type	WB I SK 3	Version	Packaging
Order No.	<a href="#">2506060000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520552		
Qty.	1 pc(s).		
Type	WB I SK 4	Version	Packaging
Order No.	<a href="#">2506070000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520521		
Qty.	1 pc(s).		

**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**insulated interchangeable blades for Torx**



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy. This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

**General ordering data**

Type	WB IT15	Version
Order No.	<a href="#">2506010000</a>	Screwdriver insert
GTIN (EAN)	4050118520545	
Qty.	1 pc(s).	
Type	WB IT20	Version
Order No.	<a href="#">2506020000</a>	Screwdriver insert
GTIN (EAN)	4050118520569	
Qty.	1 pc(s).	
Type	WB IT10	Version
Order No.	<a href="#">2506000000</a>	Screwdriver insert
GTIN (EAN)	4050118520590	
Qty.	1 pc(s).	



**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**

**insulated interchangeable blades for Robertson**



If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy. This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

**General ordering data**

Type	WB I VK 2	Version	Packaging
Order No.	<a href="#">2506040000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520576		
Qty.	1 pc(s).		
Type	WB I VK 1	Version	Packaging
Order No.	<a href="#">2506030000</a>	Screwdriver insert	miscellaneous
GTIN (EAN)	4050118520538		
Qty.	1 pc(s).		

**DMSI MANUELL 0,5-1,7**

**Weidmüller Interface GmbH & Co. KG**  
 Klingenbergstraße 26  
 D-32758 Detmold  
 Germany  
 Fon: +49 5231 14-0  
 Fax: +49 5231 14-292083  
 www.weidmueller.com

**Accessories**
**Insulated interchangeable blades for Pozidriv crosshead**


If you demand effective and exact work, it is essential to use the precise torque. This also guarantees high repetition accuracy.

This is the perfect job for the new Weidmüller torque screwdriver with the ergonomic grip and the unique interchangeable bit system.

- Compact and especially light design
- Torque set with special tool (supplied); an unintended, incorrect setting is ruled out.
- Ergonomic handle sizes matched to the torque range.
- Tools subjected to routine testing and provided with an ID number; 100% quality control with verification and product reference.
- Clicking sound upon reaching the set torque, clearly audible and noticeable, no unnecessary tightening.
- Interchangeable blades made from high-quality wear-resistant tool steel.
- All tools fulfil the accuracy requirements of: EN ISO 6798, BS EN 26789, ASME B107.14M
- Trigger accuracy +/- 6% of the set scale value.

**General ordering data**

Type	WB IK SL PZ1	Version
Order No.	<a href="#">2433230000</a>	Screwdriver insert
GTIN (EAN)	4050118443806	
Qty.	1 pc(s).	
Type	WB IK SL PZ2	Version
Order No.	<a href="#">2433240000</a>	Screwdriver insert
GTIN (EAN)	4050118443684	
Qty.	1 pc(s).	