

FL M32 ADAPTER - Adapter

2702544

<https://www.phoenixcontact.com/us/products/2702544>



Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Accessories for FL-WLAN 1100 series: Optional cable feed-through for sealing (IP67) the FL-WLAN 110x connection (IP20), if the device is not directly integrated onto the closed housing. Not needed when mounting on a control cabinet, etc.

Commercial data

Item number	2702544
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	DN23
Product key	DNN2WZ
Catalog page	Page 373 (C-6-2019)
GTIN	4055626279534
Weight per piece (including packing)	202.6 g
Weight per piece (excluding packing)	202.6 g
Customs tariff number	74122000
Country of origin	DE

FL M32 ADAPTER - Adapter

2702544

<https://www.phoenixcontact.com/us/products/2702544>



Technical data

Product properties

Product type	Adapter
Application	Feed-through
	Cable gland

Dimensions

Height	69.1 mm
Diameter	43.5 mm
Note on dimensions	Maximum dimensions, see figure

Material specifications

Housing material	Nickel-plated brass
------------------	---------------------

Environmental and real-life conditions

Ambient conditions	
Ambient temperature (operation)	-40 °C ... 60 °C
Ambient temperature (storage/transport)	-40 °C ... 60 °C

FL M32 ADAPTER - Adapter



2702544

<https://www.phoenixcontact.com/us/products/2702544>

Classifications

ECLASS

ECLASS-11.0	19179090
ECLASS-12.0	19179090
ECLASS-13.0	19179090

ETIM

ETIM 9.0	EC002608
----------	----------

UNSPSC

UNSPSC 21.0	43222600
-------------	----------

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com