

THERMOMARK-RIBBON 110-WMSU - Ink ribbon



0801358

<https://www.phoenixcontact.com/us/products/0801358>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Ink ribbon, For roll printer for printing product groups WMS..., WMS-2 HF..., and WMTB HF-HP, length: 300 m, roll length: 300 m, width: 110 mm, color: black

Commercial data

Item number	0801358
Packing unit	1 pc
Sales key	BG02
Product key	BG1223
Catalog page	Page 40 (C-3-2019)
GTIN	4046356632836
Weight per piece (including packing)	316 g
Weight per piece (excluding packing)	316 g
Customs tariff number	96121010
Country of origin	US

THERMOMARK-RIBBON 110-WMSU - Ink ribbon



0801358

<https://www.phoenixcontact.com/us/products/0801358>

Technical data

Product properties

Product type	Ink ribbon
Scope of delivery	Ink ribbon

Marking

Identification technology	Thermal transfer
---------------------------	------------------

Dimensions

Width	110 mm
Length	300 m
Length of roll	300 m

Material specifications

RoHS compliant	yes
Color	black
Material	Polyester

Environmental and real-life conditions

Ambient conditions

Recommended storage conditions	23 °C/50 % relative humidity. Storage in a dry and dark place in the original packaging is recommended.
--------------------------------	---

THERMOMARK-RIBBON 110-WMSU - Ink ribbon



0801358

<https://www.phoenixcontact.com/us/products/0801358>

Classifications

ECLASS

ECLASS-11.0	19140614
ECLASS-12.0	19140614
ECLASS-13.0	19140614

ETIM

ETIM 9.0	EC001694
----------	----------

UNSPSC

UNSPSC 21.0	44103100
-------------	----------

Environmental product compliance

China RoHS	Environmentally friendly use period: unlimited = EFUP-e
	No hazardous substances above threshold values

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com