


TC-C-MAX2-SC-32220000 - Cable set



2904446

<https://www.phoenixcontact.com/us/products/2904446>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.



Cable set for signal transmission and power supply on the Termination Carrier for signal conditioners from the MACX Analog Ex series. Connection of terminal points 3.2 and 2.2 (signal transmission for active input cards) to the signal PCB.

Commercial data

Item number	2904446
Packing unit	16 pc
Minimum order quantity	1 pc
Product key	CK27Z1
GTIN	4046356835008
Weight per piece (including packing)	9.22 g
Weight per piece (excluding packing)	9.22 g
Country of origin	DE

TC-C-MAX2-SC-32220000 - Cable set



2904446

<https://www.phoenixcontact.com/us/products/2904446>

Technical data

Notes

General	For proper use, the specifications of the installation directive (see Downloads) must be observed. For applications or use with third-party products, the specifications, and the safety and warning instructions of the respective third-party manufacturer must also be met.
---------	--

Product properties

Product type	Cable set
--------------	-----------

TC-C-MAX2-SC-32220000 - Cable set



2904446

<https://www.phoenixcontact.com/us/products/2904446>

Classifications

ECLASS

ECLASS-11.0	27371392
ECLASS-12.0	27371392
ECLASS-13.0	27371392

ETIM

ETIM 9.0	EC002498
----------	----------

UNSPSC

UNSPSC 21.0	39121100
-------------	----------

TC-C-MAX2-SC-32220000 - Cable set



2904446
<https://www.phoenixcontact.com/us/products/2904446>

Environmental product compliance

China RoHS	Environmentally Friendly Use Period = 50 years
	For information on hazardous substances, refer to the manufacturer's declaration available under "Downloads"

Phoenix Contact 2024 © - all rights reserved
<https://www.phoenixcontact.com>

Phoenix Contact USA
586 Fulling Mill Road
Middletown, PA 17057, United States
(+717) 944-1300
info@phoenixcon.com